INAPROC
Katalog Elektronik

Wickland

ENDOSCOPIC MEDICAL CONSUMABLES

Quality Solutions for Endoscopic Procedures



PT. Wickland Medika Imantara
Medical, Aesthetics & Laboratory Supplier
Jl. Palem Sememi Raya No 12 - 12A Kel. Sememi,
Kec. Benowo Surabaya 60198 | 031-33100412

DISPOSABLE
BIOPSY FORCEPS

Indications

- Endoscopic tissue sampling
- Removal of foreign bodies from the digestive and respiratory tract

Features

- Special super-smooth coating for smooth insertion and reduced channel wear
- Flexible connection for curved endoscope channels
- Four-bar linkage jaw design for secure tissue grasping
- Ergonomic handle for comfortable operation
- Sterile packaging and ready to use

JAW TYPE OPTIONS

1. ALLIGATOR JAW



2. ALLIGATOR JAW WITH NEEDLE



3. STANDARD JAW



4. STANDARD JAW WITH NEEDLE



5. SMALL CUP JAW (Smaller than Standard Jaw)



COATED TYPE OPTIONS

1. NON-COATED



2. COATED



3. COATED WITH PRINTING MARK



DISPOSABLE BIOPSY FORCEPS

No	Product Code	Jaw Type	Cup Head Diameter D±0.2 (mm)	Working Length L±100 (mm)	Minimum Endoscope Channel Diameter (mm)	Needle	Coated
1	WMI19-AC23-1200	Alligator jaw	Φ2.3	1200	Φ2.8	No	Non-Coated
2	WMI19-AC23-1600			1600			
3	WMI19-AC23-1800			1800			
4	WMI19-AC23-2000			2000			
5	WMI19-AC23-2300			2300			
6	WMI19-BC23-1200	Alligator jaw	Φ2.3	1200	Φ2.8	Yes	Non-Coated
7	WMI19-BC23-1600			1600			
8	WMI19-BC23-1800			1800			
9	WMI19-BC23-2000			2000			
10	WMI19-BC23-2300			2300			
11	WMI19-CC23-1200	Alligator jaw	Φ2.3	1200	Φ2.8	No	Coated
12	WMI19-CC23-1600			1600			
13	WMI19-CC23-1800			1800			
14	WMI19-CC23-2000			2000			
15	WMI19-CC23-2300			2300			
16	WMI19-DC23-1200	Alligator jaw	Φ2.3	1200	Φ2.8	Yes	Coated
17	WMI19-DC23-1600			1600			
18	WMI19-DC23-1800			1800			
19	WMI19-DC23-2000			2000			
20	WMI19-DC23-2300			2300			
21	WMI19-EC23-1200	Alligator jaw	Φ2.3	1200	Φ2.8	No	Coated with Printing Mark
22	WMI19-EC23-1600			1600			
23	WMI19-EC23-1800			1800			
24	WMI19-EC23-2000			2000			
25	WMI19-EC23-2300			2300			
26	WMI19-FC23-1200	Alligator jaw	Φ2.3	1200	Φ2.8	Yes	Coated with Printing Mark
27	WMI19-FC23-1600			1600			
28	WMI19-FC23-1800			1800			
29	WMI19-FC23-2000			2000			
30	WMI19-FC23-2300			2300			
31	WMI19-AP23-1200	Standard jaw	Φ2.3	1200	Φ2.8	No	Non-Coated
32	WMI19-AP23-1600			1600			
33	WMI19-AP23-1800			1800			
34	WMI19-AP23-2000			2000			
35	WMI19-AP23-2300			2300			
36	WMI19-BP23-1200	Standard jaw	Φ2.3	1200	Φ2.8	Yes	Non-Coated
37	WMI19-BP23-1600			1600			
38	WMI19-BP23-1800			1800			
39	WMI19-BP23-2000			2000			
40	WMI19-BP23-2300			2300			
41	WMI19-CP23-1200	Standard jaw	Φ2.3	1200	Φ2.8	No	Coated
42	WMI19-CP23-1600			1600			
43	WMI19-CP23-1800			1800			
44	WMI19-CP23-2000			2000			
45	WMI19-CP23-2300			2300			
46	WMI19-DP23-1200	Standard jaw	Φ2.3	1200	Φ2.8	Yes	Coated
47	WMI19-DP23-1600			1600			
48	WMI19-DP23-1800			1800			
49	WMI19-DP23-2000			2000			
50	WMI19-DP23-2300			2300			
51	WMI19-EP23-1200	Standard jaw	Φ2.3	1200	Φ2.8	No	Coated with Printing Mark
52	WMI19-EP23-1600			1600			
53	WMI19-EP23-1800			1800			
54	WMI19-EP23-2000			2000			
55	WMI19-EP23-2300			2300			

DISPOSABLE BIOPSY FORCEPS

No	Product Code	Jaw Type	Cup Head Diameter D±0.2 (mm)	Working Length L±100 (mm)	Minimum Endoscope Channel Diameter (mm)	Needle	Coated
56	WMI19-FP23-1200	Standard jaw	Φ2.3	1200	Φ2.8	Yes	Coated with Printing Mark
57	WMI19-FP23-1600			1600			
58	WMI19-FP23-1800			1800			
59	WMI19-FP23-2000			2000			
60	WMI19-FP23-2300			2300			
61	WMI19-AX23-1200	Small cup jaw	Φ2.3	1200	Φ2.8	No	Non-Coated
62	WMI19-AX23-1600			1600			
63	WMI19-AX23-1800			1800			
64	WMI19-AX23-2000			2000			
65	WMI19-AX23-2300			2300			
66	WMI19-CX23-1200	Small cup jaw	Φ2.3	1200	Φ2.8	No	Coated
67	WMI19-CX23-1600			1600			
68	WMI19-CX23-1800			1800			
69	WMI19-CX23-2000			2000			
70	WMI19-CX23-2300			2300			
71	WMI19-EX23-1200	Small cup jaw	Φ2.3	1200	Φ2.8	No	Coated with Printing Mark
72	WMI19-EX23-1600			1600			
73	WMI19-EX23-1800			1800			
74	WMI19-EX23-2000			2000			
75	WMI19-EX23-2300			2300			
76	WMI19-AP20-1200	Standard jaw	Φ2.0	1200	Φ2.8	No	Non-Coated
77	WMI19-AP20-1600			1600			
78	WMI19-AP20-1800			1800			
79	WMI19-AP20-2000			2000			
80	WMI19-AP20-2300			2300			
81	WMI19-CP20-1200	Standard jaw	Φ2.0	1200	Φ2.8	No	Coated
82	WMI19-CP20-1600			1600			
83	WMI19-CP20-1800			1800			
84	WMI19-CP20-2000			2000			
85	WMI19-CP20-2300			2300			
86	WMI19-EP20-1200	Standard jaw	Φ2.0	1200	Φ2.8	No	Coated with Printing Mark
87	WMI19-EP20-1600			1600			
88	WMI19-EP20-1800			1800			
89	WMI19-EP20-2000			2000			
90	WMI19-EP20-2300			2300			
91	WMI19-AC18-1200	Alligator jaw	Φ1.8	1200	Φ2.0	No	Non-Coated
92	WMI19-AC18-1600			1600			
93	WMI19-AC18-1800			1800			
94	WMI19-AC18-2000			2000			
95	WMI19-AC18-2300			2300			
96	WMI19-BC18-1200	Alligator jaw	Φ1.8	1200	Φ2.0	Yes	Non-Coated
97	WMI19-BC18-1600			1600			
98	WMI19-BC18-1800			1800			
99	WMI19-BC18-2000			2000			
100	WMI19-BC18-2300			2300			
101	WMI19-CC18-1200	Alligator jaw	Φ1.8	1200	Φ2.0	No	Coated
102	WMI19-CC18-1600			1600			
103	WMI19-CC18-1800			1800			
104	WMI19-CC18-2000			2000			
105	WMI19-CC18-2300			2300			
106	WMI19-DC18-1200	Alligator jaw	Φ1.8	1200	Φ2.0	Yes	Coated
107	WMI19-DC18-1600			1600			
108	WMI19-DC18-1800			1800			
109	WMI19-DC18-2000			2000			
110	WMI19-DC18-2300			2300			

DISPOSABLE BIOPSY FORCEPS

No	Product Code	Jaw Type	Cup Head Diameter D±0.2 (mm)	Working Length L±100 (mm)	Minimum Endoscope Channel Diameter (mm)	Needle	Coated
111	WMI19-EC18-1200	Alligator jaw	Φ1.8	1200	Φ2.0	No	Coated with Printing Mark
112	WMI19-EC18-1600			1600			
113	WMI19-EC18-1800			1800			
114	WMI19-EC18-2000			2000			
115	WMI19-EC18-2300			2300			
116	WMI19-FC18-1200	Alligator jaw	Φ1.8	1200	Φ2.0	Yes	Coated with Printing Mark
117	WMI19-FC18-1600			1600			
118	WMI19-FC18-1800			1800			
119	WMI19-FC18-2000			2000			
120	WMI19-FC18-2300			2300			
121	WMI19-AP18-1200	Standard jaw	Φ1.8	1200	Φ2.0	No	Non-Coated
122	WMI19-AP18-1600			1600			
123	WMI19-AP18-1800			1800			
124	WMI19-AP18-2000			2000			
125	WMI19-AP18-2300			2300			
126	WMI19-BP18-1200	Standard jaw	Φ1.8	1200	Φ2.0	Yes	Non-Coated
127	WMI19-BP18-1600			1600			
128	WMI19-BP18-1800			1800			
129	WMI19-BP18-2000			2000			
130	WMI19-BP18-2300			2300			
131	WMI19-CP18-1200	Standard jaw	Φ1.8	1200	Φ2.0	No	Coated
132	WMI19-CP18-1600			1600			
133	WMI19-CP18-1800			1800			
134	WMI19-CP18-2000			2000			
135	WMI19-CP18-2300			2300			
136	WMI19-DP18-1200	Standard jaw	Φ1.8	1200	Φ2.0	Yes	Coated
137	WMI19-DP18-1600			1600			
138	WMI19-DP18-1800			1800			
139	WMI19-DP18-2000			2000			
140	WMI19-DP18-2300			2300			
141	WMI19-EP18-1200	Standard jaw	Φ1.8	1200	Φ2.0	No	Coated with Printing Mark
142	WMI19-EP18-1600			1600			
143	WMI19-EP18-1800			1800			
144	WMI19-EP18-2000			2000			
145	WMI19-EP18-2300			2300			
146	WMI19-FP18-1200	Standard jaw	Φ1.8	1200	Φ2.0	Yes	Coated with Printing Mark
147	WMI19-FP18-1600			1600			
148	WMI19-FP18-1800			1800			
149	WMI19-FP18-2000			2000			
150	WMI19-FP18-2300			2300			
151	WMI19-AP15-1200	Standard jaw	Φ1.5	1200	Φ1.7	No	Non-Coated
152	WMI19-AP15-1600			1600			
153	WMI19-AP15-1800			1800			
154	WMI19-AP15-2000			2000			
155	WMI19-AP15-2300			2300			
156	WMI19-CP15-1200	Standard jaw	Φ1.5	1200	Φ1.7	No	Coated
157	WMI19-CP15-1600			1600			
158	WMI19-CP15-1800			1800			
159	WMI19-CP15-2000			2000			
160	WMI19-CP15-2300			2300			
161	WMI19-EP15-1200	Standard jaw	Φ1.5	1200	Φ1.7	No	Coated with Printing Mark
162	WMI19-EP15-1600			1600			
163	WMI19-EP15-1800			1800			
164	WMI19-EP15-2000			2000			
165	WMI19-EP15-2300			2300			

DISPOSABLE BIOPSY FORCEPS

No	Product Code	Jaw Type	Cup Head Diameter D±0.2 (mm)	Working Length L±100 (mm)	Minimum Endoscope Channel Diameter (mm)	Needle	Coated
166	WMI19-AC10-1200	Alligator jaw	Φ1.0	1200	Φ1.2	No	Non-Coated
167	WMI19-AC10-1600			1600			
168	WMI19-AC10-1800			1800			
169	WMI19-AC10-2000			2000			
170	WMI19-AC10-2300			2300			
171	WMI19-AP10-1200	Standard jaw	Φ1.0	1200	Φ1.2	No	Non-Coated
172	WMI19-AP10-1600			1600			
173	WMI19-AP10-1800			1800			
174	WMI19-AP10-2000			2000			
175	WMI19-AP10-2300			2300			

MULTI-BAND LIGATOR

Indications

- Ligation of esophageal varices
- Ligation of anorectal hemorrhoids

Features

- Rear-mounted ligation ring with clear carrier for better visibility
- Multi-ring burst design for faster and convenient operation
- Medical-grade rubber with good biocompatibility
- Ergonomic handle for comfortable operation
- Tactile and audible loop release indicators
- Eye-catching warning when only one ligation ring remains



Code	Loop No.	Code	Loop No.
BL18-4A	4 bands	BL18-4M	4 bands
BL18-5A	5 bands	BL18-5M	5 bands
BL18-6A	6 bands	BL18-6M	6 bands
BL18-7A	7 bands	BL18-7M	7 bands
BL18-8A	8 bands	BL18-8M	8 bands
BL18-9A	9 bands	BL18-9M	9 bands

A Type : With Handle
M Type : Without Handle

DISPOSABLE
INJECTION NEEDLE

Indications

- Used for liquid medication injection into the human digestive tract under endoscopic guidance.

Features

- Unique Lock Reminder: Secure locking mechanism.
- Smooth Catheter: Smooth surface for optimal fluid flow.
- Blood Return Visibility: Easy blood return observation.
- Non-Adhesive: Non-stick surface.
- Lightweight Handle: Flexible and ergonomic design.
- Precise Stroke Control: Accurate needle length adjustment.
- Safety Sheath: Controls needle direction and prevents excessive penetration.



No	Code	Needle Length	Needle Outer Diameter	Sheath Length	Outer Diameter
1	WMI-SN18-05/160	5 mm	0.5mm (25g)	160cm	2.4mm
2	WMI-SN18-05/195			195cm	
3	WMI-SN18-05/200			200cm	
4	WMI-SN18-05/230			230cm	
5	WMI-SN18-07/160	5 mm	0.7mm (22g)	160cm	2.4mm
6	WMI-SN18-07/195			195cm	
7	WMI-SN18-07/200			200cm	
8	WMI-SN18-07/230			230cm	
9	WMI-SN18-09/160	5 mm	0.9mm (20g)	160cm	2.4mm
10	WMI-SN18-09/195			195cm	
11	WMI-SN18-09/200			200cm	
12	WMI-SN18-09/230			230cm	
13	WMI-SN19-05/120	5 mm	0.5mm (25g)	120cm	1.8mm
14	WMI-SN19-05/160			160cm	
15	WMI-SN19-05/195			195cm	
16	WMI-SN19-05/200			200cm	
17	WMI-SN19-05/230			230cm	
18	WMI-SN19-07/120	5 mm	0.7mm (22g)	120cm	1.8mm
19	WMI-SN19-07/160			160cm	
20	WMI-SN19-07/195			195cm	
21	WMI-SN19-07/200			200cm	
22	WMI-SN19-07/230			230cm	

DISPOSABLE INJECTION NEEDLE

No	Code	Needle Length	Needle Outer Diameter	Sheath Length	Outer Diameter
23	WMI-SN18-05/160-4	4 mm	0.5mm (25g)	160cm	2.4mm
24	WMI-SN18-05/195-4			195cm	
25	WMI-SN18-05/200-4			200cm	
26	WMI-SN18-05/230-4			230cm	
27	WMI-SN18-07/160-4	4 mm	0.7mm (22g)	160cm	2.4mm
28	WMI-SN18-07/195-4			195cm	
29	WMI-SN18-07/200-4			200cm	
30	WMI-SN18-07/230-4			230cm	
31	WMI-SN18-09/160-4	4 mm	0.9mm (20g)	160cm	2.4mm
32	WMI-SN18-09/195-4			195cm	
33	WMI-SN18-09/200-4			200cm	
34	WMI-SN18-09/230-4			230cm	
35	WMI-SN19-05/120-4	4 mm	0.5mm (25g)	120cm	1.8mm
36	WMI-SN19-05/160-4			160cm	
37	WMI-SN19-05/195-4			195cm	
38	WMI-SN19-05/200-4			200cm	
39	WMI-SN19-05/230-4			230cm	
40	WMI-SN19-07/120-4	4 mm	0.7mm (22g)	120cm	1.8mm
41	WMI-SN19-07/160-4			160cm	
42	WMI-SN19-07/195-4			195cm	
43	WMI-SN19-07/200-4			200cm	
44	WMI-SN19-07/230-4			230cm	
45	WMI-SN18-05/160-6	6 mm	0.5mm (25g)	160cm	2.4mm
46	WMI-SN18-05/195-6			195cm	
47	WMI-SN18-05/200-6			200cm	
48	WMI-SN18-05/230-6			230cm	
49	WMI-SN18-07/160-6	6 mm	0.7mm (22g)	160cm	2.4mm
50	WMI-SN18-07/195-6			195cm	
51	WMI-SN18-07/200-6			200cm	
52	WMI-SN18-07/230-6			230cm	
53	WMI-SN18-09/160-6	6 mm	0.9mm (20g)	160cm	2.4mm
54	WMI-SN18-09/195-6			195cm	
55	WMI-SN18-09/200-6			200cm	
56	WMI-SN18-09/230-6			230cm	
57	WMI-SN19-05/120-6	6 mm	0.5mm (25g)	120cm	1.8mm
58	WMI-SN19-05/160-6			160cm	
59	WMI-SN19-05/195-6			195cm	
60	WMI-SN19-05/200-6			200cm	
61	WMI-SN19-05/230-6			230cm	



DISPOSABLE INJECTION NEEDLE

No	Code	Needle Length	Needle Outer Diameter	Sheath Length	Outer Diameter
62	WMI-SN19-07/120-6	6 mm	0.7mm (22g)	120cm	1.8mm
63	WMI-SN19-07/160-6			160cm	
64	WMI-SN19-07/195-6			195cm	
65	WMI-SN19-07/200-6			200cm	
66	WMI-SN19-07/230-6			230cm	
67	WMI-SN18-05/160-8	8 mm	0.5mm (25g)	160cm	2.4mm
68	WMI-SN18-05/195-8			195cm	
69	WMI-SN18-05/200-8			200cm	
70	WMI-SN18-05/230-8			230cm	
71	WMI-SN18-07/160-8	8 mm	0.7mm (22g)	160cm	2.4mm
72	WMI-SN18-07/195-8			195cm	
73	WMI-SN18-07/200-8			200cm	
74	WMI-SN18-07/230-8			230cm	
75	WMI-SN18-09/160-8	8 mm	0.9mm (20g)	160cm	2.4mm
76	WMI-SN18-09/195-8			195cm	
77	WMI-SN18-09/200-8			200cm	
78	WMI-SN18-09/230-8			230cm	
79	WMI-SN18-05/160-10	10 mm	0.5mm (25g)	160cm	2.4mm
80	WMI-SN18-05/195-10			195cm	
81	WMI-SN18-05/200-10			200cm	
82	WMI-SN18-05/230-10			230cm	
83	WMI-SN18-07/160-10	10 mm	0.7mm (22g)	160cm	2.4mm
84	WMI-SN18-07/195-10			195cm	
85	WMI-SN18-07/200-10			200cm	
86	WMI-SN18-07/230-10			230cm	
87	WMI-SN18-09/160-10	10 mm	0.9mm (20g)	160cm	2.4mm
88	WMI-SN18-09/195-10			195cm	
89	WMI-SN18-09/200-10			200cm	
90	WMI-SN18-09/230-10			230cm	

